



**Machinery for the Woodworking, Stone,
Glass, Plastic, and Metalworking Industries**



Date : 06/17/2025 - 12:49 AM *
EXF # : RS-300037
Category : RIP SAWS - STRAIGHT LINE
Brand / Model : CAM-WOOD "TRS-2218X"
Machine Type : STRAIGHT LINE RIP-SAW (SINGLE BLADE)
Year of Mfg. : 2025
Condition : Brand New w/Warranty
Elect / Voltage : 220/440 V, 60 Cy, 3 Ph.
Special Note :

FOB / Region : WEST COAST

Appr. Repl. Cost. : \$ 24,500

Price : **\$ 21,700 ***

Comment : An impressive 18" blade size and close to 5" cutti

Leasing : Lease for \$ 441/Mo. at NCL

* Pricing is valid at the time of printing and subject to change at any time.

Description :

- **CAM-WOOD TRS-2218 18" Single Blade Bottom Cut Straight Line Rip Saw**

Precision fence ensures absolute accuracy between blade & fence, with a precision gauge.

Equipped with and Features:

- Double anti-kickback fingers mounted at the infeed end provides maximum safety protection.
- Heavy-duty industrial motor for powerful cutting capacity.
- Ruggedly constructed cast iron frames for durability usage.
- The variable feed speed enables the machine to suit different wood species and work applications.
- V-way track and chain block surface are heat-treated for long wear resistance.



Please ask me

Joe Retzlaff
800-374-5009 ext. 348
Intl. +1 704-841-2001 ext. 348
joe.retzlaff@exfactory.com

Sales - Liquidations - Auctions - Appraisals - Consulting

EX-FACTORY INC.: 1805 Sardis Road North | Charlotte, NC 28270 USA | Ph +1 704.841.2001 | Fax 704.644.8068
Warehouse & Showroom: 8191 Logistic Drive, Suite E | Zeeland, MI USA | Ph +1 616.772.1520 | Fax 704.644.8328



**Machinery for the Woodworking, Stone,
Glass, Plastic, and Metalworking Industries**

- Automatic lubrication to V-Way track facilitates chain running smoothly.
- Precision built saw head ensures accuracy for straight line rip saw operations.
- Four bearing spindle mount ensures rigidity & long life.
- Anti-kick finger, two long rollers, in front of saw blade, 4 x 2 = 8 short rollers at side of saw blade, two long roller at out feed.
- The auto lubrication device is equipped with an alarm that sends signals upon a lack of lubrication oil.

Specifications:

- Max. cutting depth: 4-3/4".
- Arbor dia.: 2".
- Saw blade size: 14" - 18" dia.,
- Spindle speed: 3,300 RPM.
- Feed speed 30 - 85 FPM.
- Throat to blade depth 26".
- Main motor: 15 HP.
- Feed motor 3 HP.
- Min. work piece length: 8".
- Dust Collection Hood dia. 4".

Options- LA-6000 LASER BEAM LIGHT ...\$980.00

Sales - Liquidations - Auctions - Appraisals - Consulting

EX-FACTORY INC.: 1805 Sardis Road North | Charlotte, NC 28270 USA | Ph +1 704.841.2001 | Fax 704.644.8068
Warehouse & Showroom: 8191 Logistic Drive, Suite E | Zeeland, MI USA | Ph +1 616.772.1520 | Fax 704.644.8328



**Machinery for the Woodworking, Stone,
Glass, Plastic, and Metalworking Industries**

Machine size 91" L X 47" W X 59" H; Net weight: 3960 Lbs

Sales - Liquidations - Auctions - Appraisals - Consulting

EX-FACTORY INC.: 1805 Sardis Road North | Charlotte, NC 28270 USA | Ph +1 704.841.2001 | Fax 704.644.8068
Warehouse & Showroom: 8191 Logistic Drive, Suite E | Zeeland, MI USA | Ph +1 616.772.1520 | Fax 704.644.8328