



Machinery for the Woodworking, Stone, Glass, Plastic, and Metalworking Industries



Date : 04/05/2026 - 6:44 AM *
EXF # : BQ-300076
Category : BRAKES
Brand / Model : US INDUSTRIAL "USHB155-10C"
Machine Type : HYDRAULIC PRESS BRAKE (CNC)
Year of Mfg. : 2026
Condition : Brand New w/Warranty
Elect / Voltage : 220/440 V, 60 Cy, 3 Ph.
Special Note :

FOB / Region : SOUTH
Appr. Repl. Cost. : \$ 79,900
Price : \$ 0 *
Comment : CNC 2-Axis Color Graphic Control
Leasing : Call for Quote

Portrait of Torry Hiddema with contact information: Please ask me, Torry Hiddema, 800-374-5009 ext. 371, Intl. +1 704-841-2001 ext. 371, torry.hiddema@exfactory.com

* Pricing is valid at the time of printing and subject to change at any time.

Description :

- US INDUSTRIAL USHB155-10 CNC Hydraulic Press Brake

Specifications:

- Working Pressure 155 tons
Length of work table 126
Distance between housings 108.4"
Throat depth 12.6"

Sales - Liquidations - Auctions - Appraisals - Consulting



Machinery for the Woodworking, Stone,
Glass, Plastic, and Metalworking Industries

- Stroke 5.12"
- Adjustment 3.35"
- Open Height 14.96"
- Rapid approach speed 2.4"/Sec
- Rapid retract speed 2.76"/Sec
- Pressing speed dependent on tool load 0 - .33"/second
- Motor 15 HP
- Hydraulic oil capacity 53 gallons

- Length 146"
- Width 73"
- Height 101"
- Weight 18,743 Lbs

Standard Features:

Sales - Liquidations - Auctions - Appraisals - Consulting

EX-FACTORY INC.: 1805 Sardis Road North | Charlotte, NC 28270 USA | Ph +1 704.841.2001 | Fax 704.644.8068
Warehouse & Showroom: 8191 Logistic Drive, Suite E | Zeeland, MI USA | Ph +1 616.772.1520 | Fax 704.644.8328



**Machinery for the Woodworking, Stone,
Glass, Plastic, and Metalworking Industries**

- CNC 2-Axis Color Graphic Computer Control
- SICK 4000 Light Curtain
- Ram deflection Adjustment
- Mechanical ram depth control
- Massive torsion bar for parallelism
- Forged heavy duty cylinder and cylinder body
- Three speed ram approach rapid approach, bending, retract
- Bottom time delay
- All steel construction
- Inching, single cycle, and continuous operation
- Ram takes standard American tang tooling (1/2" x 5/8")
- Space between ram tool clamps allows for deep box bending
- Bed has slot for American tang tooling

Sales - Liquidations - Auctions - Appraisals - Consulting

EX-FACTORY INC.: 1805 Sardis Road North | Charlotte, NC 28270 USA | Ph +1 704.841.2001 | Fax 704.644.8068
Warehouse & Showroom: 8191 Logistic Drive, Suite E | Zeeland, MI USA | Ph +1 616.772.1520 | Fax 704.644.8328



**Machinery for the Woodworking, Stone,
Glass, Plastic, and Metalworking Industries**

- Bed also holds tooling with capture clamps
- Free gooseneck Punch and multi-opening die for up to 90° forming in 10-gauge mild steel (no warranty included on the punch and die)

Optional:

- 3rd Axis Back gauge controlled from operator panel
- Upgrade to Fiessler Akas II Laser Guarding (Substitute for Sick deTec 4)
- Upgrade to Pilz PSEnvip LED Safety Guarding: (Substitute for deTec 4)
- Add Third Axis (Back Gauge Height controlled from operator panel.)
- CNC Controlled Mechanical Auto Crown
- Upgrade to Cam-Lever Quick Action Ram Clamps
- High Speed Servo Back Gauge

Sales - Liquidations - Auctions - Appraisals - Consulting

EX-FACTORY INC.: 1805 Sardis Road North | Charlotte, NC 28270 USA | Ph +1 704.841.2001 | Fax 704.644.8068
Warehouse & Showroom: 8191 Logistic Drive, Suite E | Zeeland, MI USA | Ph +1 616.772.1520 | Fax 704.644.8328