

Machinery for the Woodworking, Stone, Glass, Plastic, and Metalworking Industries



Date : 07/11/2025 - 3:01 AM *

EXF #: FJ-300021

Category: FINGER JOINTERS

Brand / Model: CAM-WOOD "IAT-620-150HX"

Machine Type: FINGER JOINTER (MEDIUM

PRODUCTION)

Year of Mfg.: 2025

Condition: Brand New w/Warranty

Elect / Voltage: 480 V, 60 Cy, 3 Ph.

Special Note:

FOB / Region: WEST COAST

Appr. Repl. Cost.: \$ 195,000

Price: \$ 0 *

Comment: What a great Finger Jointer

for an amazing price!

Leasing: Call for Quote

Please ask me



800-374-5009 ext. 329 Intl. +1 704-841-2001 ext. 329

louis.sicotte@exfactory.com

* Pricing is valid at the time of printing and subject to change at any time.

Description:

CAM-WOOD IAT 620-150HX INVERTER DRIVEN FINGER JOINT SYSTEM

Lay-Up and Block-Staging Infeed Conveyor:

24" Wide x 31.5" long belt conveyor powered with 1/2 HP motors. The conveyor is controlled by the
operating and system. Feeds at a constant rate of 180 FPM. Block delivery is controlled by the operator
and machine system criteria to feed the Shaper. The conveyor facilitates keeping the system full and
productive.

FSR-62I Right Hand Inverter Type Finger Joint Shaper:

- Feed table is 24" wide and accepts blocks from 6" to 31.5" long x 5/8" to 6" wide. Shaper spindle is driven by a 20 HP motor and is equipped with provisions for vertical adjustment of 20 mm up and 20 mm down. Spindle diameter is 50 mm and runs at 6,600 RPM. 8-1/4" maximum shaper cutterhead diameter without knives.
- 5 HP 4,800 RPM Cutoff and trim saw; accepts 10" dia. x 100 tooth x 5 mm blades. 2 HP 2,850 RPM

Sales - Liquidations - Auctions - Appraisals - Consulting



Machinery for the Woodworking, Stone, Glass, Plastic, and Metalworking Industries

Scoring saw, accepts 7" dia. x 50 tooth x 5 mm blades.

- Conveyor powered by 1/2 HP motor.
- Table movement is inverter driven; powered by a 3 HP inverter motor with cycle speeds from 1 to 4 cycles per minute. Motor senses load and varies travel as needed.

TC-62 Single Table Transfer Conveyor to the 2nd (Left Hand) Shaper:

• 24" Wide x 31.5" long belt conveyor. Powered with (1) 1/2 HP motor. Controlled by system criteria. Feeds at a constant rate of 180 FPM.

FSL-62I Left Hand Inverter Type Finger Joint Shaper with Glue Extruder:

- Feed table is 24" wide and accepts blocks from 6" to 31.5" long x 5/8" to 6" wide. Shaper spindle is driven by a 20 HP motor. Spindle diameter is 50 mm and runs at 6,600 RPM. 8-1/4" Maximum shaper cutterhead diameter without knives.
- 10 HP 4,800 RPM Cutoff and trim saw; accepts 10" dia. x 100 tooth x 5 mm blades. 2 HP motor powers a top and a 2nd 2 HP motor powers a bottom scoring saw, both running at 2,850 RPM; accepts 7" dia. x 50 tooth x 5 mm blades.
- Conveyer powered by 1/2 HP motor. Table movement is Inverter driven; powered by a 3 HP + 3 HP inverter motor with cycle speeds from 1 to 4 cycles/Min. Motor senses load and vary travel as needed. Speed is controlled by system criteria.
 Injection Type Glue Applicator:
- Extrudes adhesive into the fingers without a messy runoff. 6" Comb height is standard. Finger pitch 4 mm, 10 12 mm finger length is standard equipment (special sizes available as optional equipment)

STC-62A Single Table Conveyor Belt to the Assembly Section:

• 24" Wide x 31.5" long belt conveyor. Powered with (1) 1/2 HP motor. Controlled by system criteria. Feeding at a constant rate of 180 FPM.

FJ-500A (240") Assembly Press with Cut-Off Saw:

- Capacity from 1" to 6" wide x 1/2" to 3" high x and from 6' to 16-1/2' long. motor powers the upper and lower pre-assembly driven by (2) 2 HP motor .
- 5 HP infeed inverter drive. In-feed speed from 30 to 230 FPM. Speed is controlled by system criteria.



Machinery for the Woodworking, Stone, Glass, Plastic, and Metalworking Industries

5 HP - 2,850 RPM Cutoff saw accepts 14" dia. x 120 tooth x 4 mm kerf blade. Cutoff Saw can be set for up to (3) lengths. 5 HP Hydraulic power pack for the final squeeze. Capacity from 1 to 4 table loads per minute.

Optional Equipment:

- 8" Finished Width at Assembly Press, (horizontal joints only),
- SFJ-IL-40 40" High-Speed Material Infeed Conveyor System,
- Infinite length for assemble ... Price on request