



Machinery for the Woodworking, Stone,  
Glass, Plastic, and Metalworking Industries



**Date :** 06/13/2025 - 4:03 PM \*  
**EXF # :** RG-300030  
**Category :** RIP SAWS - MULTI-BLADE  
**Brand / Model :** CAM-WOOD "TRS-190-2VSX"  
**Machine Type :** SLAT RIPPER  
**Year of Mfg. :** 2025  
**Condition :** Brand New w/Warranty  
**Elect / Voltage :** 230 or 460 V, 60 Cy, 3 Ph  
**Special Note :**

**FOB / Region :** WEST COAST  
**Appr. Repl. Cost. :** \$ 65,000  
**Price :** **\$ 55,700 \***  
**Comment :**  
**Leasing :** Lease for \$ 1,119/Mo. at  
NCL



Please ask me

**Joe Retzlaff**  
800-374-5009 ext. 348  
Intl. +1 704-841-2001 ext. 348  
joe.retzlaff@exfactory.com

\* Pricing is valid at the time of printing and subject to change at any time.

#### Description :

- **CAM-WOOD TRS-190-2VS 7.5" x 6" VERTICAL SPINDLE MOULDER FOR SMOOTH SLAT RIPPING**

Includes one setup including Splitter Set, Holddown Plate, Fence, Sawblades, and Spacers

#### WORKING CAPACITY

- Working width: 3" to 7-1/2"
- Working height: 3/4" to 6"

#### RIGHT VERTICAL SPINDLE

- With 25 HP motor:

**Sales - Liquidations - Auctions - Appraisals - Consulting**

**EX-FACTORY INC.:** 1805 Sardis Road North | Charlotte, NC 28270 USA | Ph +1 704.841.2001 | Fax 704.644.8068  
**Warehouse & Showroom:** 8191 Logistic Drive, Suite E | Zeeland, MI USA | Ph +1 616.772.1520 | Fax 704.644.8328



**Machinery for the Woodworking, Stone,  
Glass, Plastic, and Metalworking Industries**

---

- Spindle diameter: 1.968" with keyway and blade cooling device
- Spindle speed: 3,500 RPM
- Cutting circle: 9" to 12"
- Axial adjustment range: 2"
- Table adjustable to cutting circle.
- Blade cooling device.

LEFT VERTICAL SPINDLE

- With 25 HP motor:
- Spindle diameter: 1.968" with keyway and blade cooling device
- Spindle speed: 3,500 RPM
- Cutting circle: 9" to 12"
- Axial adjustment range: 2"
- Table adjustable to cutting circle.

---

**Sales - Liquidations - Auctions - Appraisals - Consulting**

**EX-FACTORY INC.:** 1805 Sardis Road North | Charlotte, NC 28270 USA | Ph +1 704.841.2001 | Fax 704.644.8068  
**Warehouse & Showroom:** 8191 Logistic Drive, Suite E | Zeeland, MI USA | Ph +1 616.772.1520 | Fax 704.644.8328



**Machinery for the Woodworking, Stone,  
Glass, Plastic, and Metalworking Industries**

---

- Blade cooling device.

#### SPINDLE COMPONENTS AND ASSEMBLY

- Precision spindles are manufactured from SCM-4 tool steel imported from MITSUBISHI Japan, heat treated to HR 46° (ROCKWELL C Scale) fitted with class 6
- SKF-matched ball bearings then mated to precision machined spindle housings.
- The spindle body and bearing housing are burnished.
- Spindle hardness and accuracy, high precision SKF bearings, and precise spindle housing and bearing installation by SHEN KO provides a spindle assembly
- Capable of speeds to 9,000 RPM and will meet every user's requirement.
- Spindles are powered by V-shaped belts (MITSUBISHI) without slippage.

#### FEED SYSTEM

- Powered with a 5 HP motor
- Feed speed is infinitely variable by inverter drive from 20 to 120 FPM
- Infeed rolls consist of (3) top and (2) bottom-powered feed rolls.
- Outfeed with (1) set of top and bottom-powered feed rolls
- Pneumatic pressure to all (4) top feed rolls

---

**Sales - Liquidations - Auctions - Appraisals - Consulting**

---

**EX-FACTORY INC.:** 1805 Sardis Road North | Charlotte, NC 28270 USA | Ph +1 704.841.2001 | Fax 704.644.8068  
**Warehouse & Showroom:** 8191 Logistic Drive, Suite E | Zeeland, MI USA | Ph +1 616.772.1520 | Fax 704.644.8328



Machinery for the Woodworking, Stone,  
Glass, Plastic, and Metalworking Industries

---

- Top rolls with independent pressure adjustment
- All top and bottom feed are driven by a universal joint drive
- Feed rolls are 5-1/2" diameter

#### TABLE AND FENCE

- 4' infeed table with (1) driven roller above the tablet
- Table is harden and chromed.
- Fence is harden

#### PRESSURE ELEMENTS

- A pneumatic pressure plate assures stability during slicing
- Precision splitting wedge guide for saw kerf

#### SETUP FEATURES

- Mechanical digital read-outs
- Mobile jog box for ease of setting up
- Central lubrication system for spindles

---

**Sales - Liquidations - Auctions - Appraisals - Consulting**

**EX-FACTORY INC.:** 1805 Sardis Road North | Charlotte, NC 28270 USA | Ph +1 704.841.2001 | Fax 704.644.8068  
**Warehouse & Showroom:** 8191 Logistic Drive, Suite E | Zeeland, MI USA | Ph +1 616.772.1520 | Fax 704.644.8328



Machinery for the Woodworking, Stone,  
Glass, Plastic, and Metalworking Industries

---

- Oil pump to remove the resin from table
- Each table has (2) holes for lubrication

#### ELECTRICAL

- Operating voltage 230.460/575/600-volt, 60-cycle, 3-phase
- All "name brand" electric components.
- Operating panel separate from motor control cabinet for ease of operation

#### MISCELLANEOUS

- Machine cover/hood with a lamp for ease of set up
- Includes a toolbox and operator's manual

---

**Sales - Liquidations - Auctions - Appraisals - Consulting**

**EX-FACTORY INC.:** 1805 Sardis Road North | Charlotte, NC 28270 USA | Ph +1 704.841.2001 | Fax 704.644.8068  
**Warehouse & Showroom:** 8191 Logistic Drive, Suite E | Zeeland, MI USA | Ph +1 616.772.1520 | Fax 704.644.8328