

Machinery for the Woodworking, Stone, Glass, Plastic, and Metalworking Industries



Date :	04/23/2024 - 1:20 PM *
EXF # :	SW-300213
Category :	SANDERS-1-HD., WB/DRUM
Brand / Model :	SUPERMAX TOOLS "SUPERBRUSH 36 X 2"
Machine Type :	BRUSH (2-HEAD 36")
Year of Mfg. :	2024
Condition :	Brand New w/Warranty
Elect / Voltage :	230 V, 60 Cy, 3Ph.
Special Note :	

FOB / Region :	MIDWEST
Appr. Repl. Cost. :	\$ 27,500
Price :	\$ 27,500 *
Comment :	2-Head 36" Brush Sander - The Brush Sander that wo
Leasing :	Lease for \$ 559/Mo. at NCL



Please ask me

Ed Webb 800-374-5009 ext. 377 Intl. +1 704-841-2001 ext. 377 Ed.Webb@exfactory.com

* Pricing is valid at the time of printing and subject to change at any time.

Description :

• SUPERBRUSH 36 x 2 Dual Brush Sander, (2) 7.5 HP Drive Motors.

SUPERBRUSH applications include, but are not limited to: White wood sanding, de-nibbing, sealer, and primer sanding applications, as well as UV roughing and reclamation projects. De-burring, graining, and polishing of steel, stainless steel polishing and aluminum finishing and solid surface materials. These sanders are well suited to shutter sanding, de-glossing and de-stressing.

36" Sanding width, 11" min. part length and 4" max. thickness; 1-1/2" to 3" Typical Brush length; 3/32" per turn height adjustment, depth gauge included. Sanding heads 9-1/2" diameter. (2) 7-1/2 HP main drive motors provide the ability to remove stock, and smooth the material in one pass.

Rubberized conveyor belt grips and pulls parts through the sander. via 0 -15 FPM variable speed feed system

1-1/2" Dia., rubber covered, infeed and outfeed rollers provide tension to support the belt over reinforced steel conveyor bed.

Bristle contact gauge (depth gauge) included.

RPM Gauge displays brush speed, variable 400 - 1,200 RPM.

Sales - Liquidations - Auctions - Appraisals - Consulting



Hinged Dust Hood with (6) 4" vacuum ports, min. 1,800 CFM capacity Dust collection recommended.

Machine Design: Cast stand, zinc-plated steel bed, centerless ground column tubes.

Ball bearings are sealed and permanently lubricated.

Accessories: Casters, Infeed-Outfeed tables & DRO (Digital Depth Guage).

Sales - Liquidations - Auctions - Appraisals - Consulting